




# Supervisor 9 Release Notes



© Copyright 2025 Datamine Corporate Ltd

All Rights Reserved Confidential and Proprietary

Published: Tuesday, 6 May 2025

The information contained in this documentation is subject to change without notice and is not warranted to be error-free. This documentation contains confidential information proprietary to Datamine Corporate Ltd which must not be disclosed, copied, or distributed to any third party without prior written consent of Datamine. Any unauthorised use or disclosure of this information would constitute a breach of confidentiality and would result in legal action.



# **Contents**

Overview	4
Further Information	4
Supervisor 9.1 Release Notes (May 2025)	5
New features & Improvements	5
Defect Fixes	11
Supervisor 9.0.4 Hot Fix Release Notes (October 2024)	16
Improvements	
Defect Fixes	16
Supervisor 9.0.3 Release Notes (April 2024)	18
Upgrading a Version 8 project	19
Updating the License Manager	20
Changelog	21
Known Issues	23

3



# **Overview**

Supervisor is a powerful, user-friendly geostatistical suite that optimises resource estimation and enhances productivity for mineral resource geologists. Trusted by leading mining and consultancy companies worldwide, it offers advanced tools like variography, conditional simulation, and model validation, ensuring that mineral resources are calculated with maximum accuracy. Built by geologists for geologists, Supervisor streamlines complex geological tasks, saving valuable time and enabling efficient decision-making. Its intuitive interface and clearly presented data make it easy to model orebody characteristics from raw sample data, providing everything needed to optimise resource estimates and deliver highquality, robust results.

### **Further Information**

This document includes cumulative release notes for Supervisor.

Release notes for other versions of Supervisor are available via the Support Portal <u>https://dataminesoftware.com/support/</u>.

4



## Supervisor 9.1 Release Notes (May 2025)

#### **New features & Improvements**


- Installation & project upgrade:
  - **DirectX** redistributables are now embedded in the installation. The installation of DirectX 9 runtime is no more required.
  - The default installation folder has been changed to C:\Program Files\Datamine\Supervisor. This modification is applied for a new installation. When upgrading from the previous version, the folder remains C:\Program Files\Snowden\Snowden Supervisor v9.0.
  - The splash screen visible when launching Supervisor 9.1, as well as the application icon, have been updated according to the new Datamine branding.
  - A message is popped up when asking to save a 9.0 project in 9.1, as it will make the project incompatible. To help you manage backward compatibility, we recommend to save your project in a new file. This creates an upgraded version of the original project, keeping a safety copy of the previous version intact.

Save Pro	ject Convert9to91	×
<u>.</u>	Saving this Project will make it incompatible with the previous 9.0 version of the software. Once upgraded, the project will no longer be compatible. To preserve a backup of your current project, we recommend using "Save as". Would you like to keep a safety copy and save your project in a new file?	
	Yes No Cancel	

- Help: The email box in the user feedback form (reachable under the Help menu) was previously mandatory. You can now optionally provide us with contact details so that we can discuss your feedback and ideas with you directly.
- Variography improvements:



- As Leapfrog no longer has any restrictions on the number of allowable structures for variogram models, the 2-structure restriction has been removed from the export functionality when using the Leapfrog compatibility mode (\*.lfv). The restriction is still present when exporting in a \*.xml file but it is not limited anymore to the spheroidal structure only.
- The **font size** of the **variogram model structures** displayed next to the different draggers can now be changed in the Draw tab.



(3) -70-->190 Variogram (3) -70-->190 Variogram)




- UX improvements:
  - A scroll bar has been added in the Data Loader property panel.

@ (dat	a analysis.csv)	@ 3D Viewer ((da	ta analysis.csv))								
	Import Column	Column Name	Mapping Type	Expression	Weight Column	Minimum	Maximum	Units	d	Auto-Title Component	
Þ		x	x						c	Rotate Data in 2D Text	
		Y	Y						c	Loader Options	
		z	z						c		
		Au	Assay						C	File: C:\Users\pauline.f	fournier\Or
		Domain	Domain						c	Reload Data	Refresh
٠	0									Reload Data	Refresh
										Name: Assayi Group I Group Alpha Show group Highlight gr Show Highlight rows: None	Delete Chilk Ibetically ing table ouped colu
	Grouping		Group		1				_	First values	Displa
	Column	Condition	Blanks	Comment						Weight columns	Expres
Þ	<assay></assay>										
	Domain									File viewer	100
•											
Data I	Loader Filter a	nd Data Merge D	omains Load Sur	nmary Despike							

• When using the **boxplots**, if you wanted to select only few items, you had to untick all the others. This could be painful if you had lots of items in the list. An **'All' checkbox** has been added to the boxplot selection





select/unselect all checkboxes at once.

- Rotations:
  - A new Rotate Data in 2D tab is available in the property panel of the Data Loader to deal with 2D rotation in Datamine block models. When importing rotated Datamine block models, Supervisor imports the XC, YC, ZC columns which are local rotated world coordinates. By consequence, block model data cannot be compared to data located in real world, like drillhole data for example and then apply a model validation or KNA.

Clicking on the grid loader, angle and X/Y/Z translation fields show you if the original file was rotated or not. They specify which transformations should be applied to convert any data in the real coordinate system into the local coordinate system.



Loader Auto-Title	Component
Block Model Optio	Rotate Data in 2D
Get transformation data loader	n settings by selecting a —
🔄 Enable 2D Rotat	
Pre-Rotation Tr	ranslation
X:	-1000
Y:	-1500
Z:	-2000
Rotation	
Angle:	20
Post-Rotation	Translation
X:	0
Y:	0
Y:	0

When reaching the properties of your drillhole data, by selecting your block model in the **Get transformation settings by selecting a data loader** field, you will automatically define the angle and the translation along X, Y and Z to apply to your drillholes to be in the same local coordinates as your block model.



Auto-Title Compo	onent
Loader Options	Rotate Data in 2D
- Get transformatic data loader Data/simple_rc	on settings by selecting a
🕑 Enable 2D Rota	
Pre-Rotation	
X:	-1000
Y:	-1500
Z:	-2000
Rotation	
Angle:	20
Post-Rotation	Translation
X:	0
Y:	0
Y:	0

• In the **Continuity Models**, **Datamine** compatibility output has been modified to be the same as Leapfrog. You have now an additional text with Dip, Dip Direction, Pitch.


Gslib ZXY Rotation @ 3D Viewer (Gslib ZXY Rotation)	
	Axis Graph X Y Component
	Compatibility: Datamine ~
	Rotation Type: ZXZ V
	Dir 1 Axis: X ~
	Dip Azimuth Range
Datamine ZXZ Rotation for	Direction 1 20> 190 70
Dip Plane (0°)	Direction 2 0> 280 58
1[ 020>190 ]-X 2[ 000>280 ]-Y 3[ -070>190 ]-Z	Direction 3 -70> 190 350
Datamine ZXZ angles are [ 10.000, 20.000, 90.000 ]	<ul> <li>Transparent search ellipsoid</li> </ul>
Dip: 20.000 Dip Direction: 10.000 Pitch: 90.000	Show Fans in 3D
	Range Ratios
	Compatibility: None
lxis Rotation	

• **Other**: An error message has been added if you try to import **.dmx** files. This new Datamine format is not yet supported but it will be available in the 9.2 version.




#### **Defect Fixes**

• In the **GT Curve**, when unticking the Auto-title and modifying the title in the properties panel, the axis label was correctly set but the associated **legend** remained unchanged.



 In the HexBin plot, the line of regression and the first bisector line were obscured by the hex elements when applied on the Log10 transformation. Both lines are now displayed as foreground.



• The Load Summary did not report the warnings/errors anymore. The area, below the load table, was empty.

The second second		a faye' (harden even an
The first lighter (Sep.	A REAL PROPERTY AND A	Not the test
d ton in from	Vieweeke ( Constant of Constant)	Contraction Contraction Contraction Contraction
1 Maria Langer Int	Startes 22" satisfies 22" as to be the tracks 22" both the satisfies	at the state of th
The second secon	A star i have been and i i i i i i	an 1 2 a strands all free states
		A December 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -
Territor Marca (1964)		laran forma and the sequence sufficiency
	The late of the second se	
Sense Lines and Sense Sense Lines Sense Lines and	Ni điện giệt là thờng chiến là chiến đầu. Nh điện giệt là thờng thờng thờng chiến thờng than	Control (control to m) from the set of
	Version 8.15	Version 9.0

- The **copy-paste** between projects, broken in version 9, has been corrected.
- **Contextual Help** (F1) in version 9 did not open the correct page like it did in version 8.15. Also the documentation file as well as release notes PDF document were outdated in the installation.
- In the Correlation Matrix :



• Correlation coefficients displayed were wrong when applying a **filter** on the samples. This could lead to values greater than 1 or smaller than -1.

				M6_PCT_USE (3 values)	r_use-mg_pct_use         	(R = 1.00) <sup>2</sup> y = 0.204x				
				0.05. ₩ 0.05.	<sup>0,2</sup> к 95т 85т	0 1 2				
_	Indep/Dep	SE	S_PPM_USE	0.00		s values)	U_PPM_USE	SL PCT_USE	P. PCT. USE	0
	Indep/Dep TH_PPM_USE	\$E	S_PPM_USE		0 <sup>2</sup> к_Рст_ббе ( SC_PPM_USE 0.41	0.30	U_PPM_USE	SI_PCT_USE -0.59	P_PCT_USE	C) 0.0
		\$E		0.00 0.0	SC_PPM_USE	MG_PCT_USE				_
	TH_PPM_USE	ŠE	0.03	0.00 0.0 0.0 0.0	SC_PPM_USE	MG_PCT_USE	0.28	-0.59	0.22	0.0
	TH_PPM_USE FE_PCT_USE	ŠE	0.03	0.00 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	SC_PPM_USE 0.41 0.48	MG_PCT_USE 0.30 0.46	0.28 0.53	-0.59 -0.64	0.22 0.54	0.0

• Changing the number of **decimals** to add more precision did not work properly. The displayed number of decimals was correct, but the extra decimals displayed 0 instead of the right value. Trigger an update of the component solved the issue.

	Indep/Dep	AUPPM	AGPPM	CUPPM
۲	AUPPM	1	0.26000	0.29000
	AGPPM	0.26000	1	0.65000
	CUPPM	0.29000	0.65000	1
	Wron	g behavio	our in 9.0	

	Indep/Dep	AUPPM	AGPPM	CUPPM
۲	AUPPM	1	0.25949	0.29236
	AGPPM	0.25949	1	0.65212
	CUPPM	0.29236	0.65212	1
		After o	orrection in 9.	.1

- · In the Vario/Search tab of the Conditional Simulation properties,
  - when dealing with lots of **domains**, the list could overlay the bottom of the interface and some parameters. A **scroll bar** has been added to avoid this problem.



main Settings		Domain Settings				
omains	Variogram and Search Properties	Domains	- Variogram	and	Search F	Properties
2 1						
10		10			y313_001	mains.csv)/#
11	Search Range	2 11	- Search Ra	-		
12	Use Continuity Models	2 12	🔽 Use			lodels
13	Dir1 40	2 13	Dir1	4	10	
14	Dir2 40	14	Dir2	4	10	
15	Dir3 40	2 15	Dir3	4	10	
16		✓ 16				
17	Search Angle	✓ 17	Carach A			
18	Use Continuity Models	18	Search Ar	-		
19	Angle1 0	✓ 19	🖂 Use	Conti	inuity M	lodels
2	Angle2 0	<ul> <li>2</li> <li>20</li> </ul>	Angle1	0		
20	Angle3 0	<ul> <li>✓ 20</li> <li>✓ 21</li> </ul>	Angle2	0		
21		21	Angle3	0		
22		22				
3		2 3				
4						
5		Original Data Samples				
6	4 to 24 [* = no limit]	Assign Data To Node				
7		Number required	4	to	24	[* = no limit]
8	t 0 to * [* = no limit]	Min octants informed	0	1		
9		Num. required per octant	0	to	*	[* = no limit]
	des					
riobability of accep		Previously Simulated Node	s			
Maximum number	to use 18 [* = no limit]	Probability of acceptance		1		[1 = 100%]
		Maximum number to use		1	8	[* = no limit]
Domain Density						
Density	V Verride 1	Domain Density				

Before

After

- Improved error message for missing simulation domains: If you select a domain to simulate that isn't present in the output node grid or point set, you will no longer encounter the generic "Index was outside the bounds of the array" error. Instead, you'll see a clear message explaining that the chosen domain could not be found in the output data.
- An error occurred when updating a V8 project with a detached data source.
- In the KNA, the block sizes defined using the Library were not taken into account correctly.
- Multiple **Grade Tonnage Curves**, built from Block Models, can now be overlaid using the **Overlay** option. Only the colours of the first selected item are kept. The others are randomly redefined.
- An error occurred when importing a **Vulcan Bmf** file because of a missing library.



- The **SQL Data Loader** did not work. You could enter the server name, but all the other fields remained disabled.
- Several bugs linked to the **Weight** column have been corrected:
  - The **block data loader** stored default weighting entries, which caused an error when the weight column was unavailable during **reload**.
  - When importing sub-blocks contained in a Datamine file, a weight column XINC\*YINC\*ZINC is now created by default and is applied to all Assay columns.



# Supervisor 9.0.4 Hot Fix Release Notes (October 2024)

#### Improvements

We've released a patch update for the .NET dependency integrated within Supervisor. This update includes key performance improvements, security patches, and critical bug fixes to enhance the stability and reliability of Supervisor.

#### **Defect Fixes**

- An issue has been fixed that prevented users from scrolling to the bottom of the Project Tree.
- An issue has been fixed that caused variogram fans to sometimes be blank.

**Important:** You will need to reprocess any variograms created in Supervisor 9.0.3 for this fix to be applied. To do this, open the affected variogram and uncheck the **Analyse** checkbox in the **Update** tab of the **Property Panel**, then re-check the **Analyse** checkbox and click the **Update** button. This will cause the variogram to reprocess without making any changes to your data. The reprocessed variogram should display the normal contours.

- Multivariate Simulation decorrelation techniques now produce appropriate scatter plot results
- Process cannot access file error during conditional simulation
- An issue has been fixed that prevented the default histogram, probability plot, and mean and variance plot from displaying beneath newly loaded assays and domains.

**Important:** To correct this issue, you may need to reset the **Library Tab** of the **Component Options** by clicking the **Reset Layout** button in the **View** tab of the **Ribbon Menu**, then closing and reopening Supervisor. After reopening Supervisor, the **Library Tab** may need to be docked to the **Component Options** window.

 An issue has been fixed that prevented the default histogram, probability plot, and mean and variance plot from displaying beneath newly loaded assays and domains.



- An issue has been fixed that prevented the Colour Key Library from loading in new projects.
- The Multivariate Simulation component no longer produces an error when the compositional transformation is used with a filler.
- An issue has been fixed where loading a project with a probability cutoff component as part of a multivariate simulation would cause an error.




## Supervisor 9.0.3 Release Notes (April 2024)

Supervisor Version 9 brings a long-deserved and significant technology upgrade to the base platform that will allow us to continue to support and develop Supervisor well into the future. While there are some changes to the overall look, Version 9 remains an evolution of the previous version with no reduced functionality or changes to the core workflow. Ultimately, while we have modernised Supervisor, it is not a new product and therefore is accessible by anyone with a current active maintained license, subscription or rental.

Aside from the modernised user interface, users can enjoy the convenience of the new ribbon menu and utilise greater customisation new dockable windows, alongside a number of small quality of life changes. We are looking forward to your feedback which can now be provided directly from within Supervisor itself with the new 'Send Feedback' form under the Help menu. Through this form, you can optionally provide us with contact details so that we can discuss your feedback and ideas with you directly.

We hope that you enjoy the new Supervisor experience and look forward to continuously improving our solutions into the future.








### **Upgrading a Version 8 project**

Upgrading your Supervisor projects from version 8 to version 9 is a straightforward process. Launch the Supervisor 9 application and select the 'Upgrade V8 Project' option from the **Open** menu. Select the version 8 project you wish to upgrade, and the application will create a duplicate of this project in version 9 format.

Please be patient as the creation process may take some time. Once the new project is created, it will need to be updated for the results to be regenerated. It's important to note that once a project is upgraded to version 9, it cannot be reverted back to version 8. Make sure you are ready to upgrade before proceeding.







### **Updating the License Manager**

To ensure there is no disruption to the ongoing experience using Supervisor, a change has been rolled out to all existing license holders which converts current Version 8 licenses to a bundled solution. Each bundle contains two licenses, one that supports version 8 installations and one that will support all versions from 9 onwards.

The Version 9 installer comes bundled with version 6.2 of the Datamine License Manager, which should ensure that it correctly detects the new license types and structure. For any issues, please reach out to Datamine support for further assistance and troubleshooting.




#### Changelog

- Improved the error message associated with trying to add a component to the Process Tree when no data is loaded.
- Removed the button link to the online LKNO video from the Property Panel.
- Fixed the resolution of vertical text to be easier to read.
- Fixed an issue that prevented interaction with the floating stats table in new components.
- Corrected the outputs for Leapfrog which could be incorrect in some situations.
- Reduced the number of decimal points for the Leapfrog conversion to enhance readability.
- The UI has been replaced with a new platform and all components have been updated to function as in version 8.
- The Histogram property panel has been redesigned.
- A Ribbon menu has been added which has all the previous functionality of the old menus and vertical toolbar.
- An error capturing tool has been added, which can automatically and anonymously report software errors to the Supervisor team for early correction.
- Updated the .NET platform to version 6 and updated every component to be compatible with this version.
- Updated Supervisor branding with latest logos and colour schemes.
- The about popup is more informative.
- Added a new Welcome page to the Data Tree root node.
- Updated several aspects of the Tree and Windows to allow greater user customisation.
- Anonymous usage data may now be optionally provided to the Supervisor team to help identify high-use components for improvements.
- Several default colour schemes have been updated.
- Updated coloured text in the Data Loader data tables from blue to teal.
- Modified the 'ABORT UPDATING' text on the main canvas to 'UPDATING'.
- Several components in the Options tree have been renamed to be related to their actual options.



- Several Library components have had their names updated to relate to their function.
- The version number has been added to the startup splash screen.
- Updated the default colours for the Histogram and several percentile colour keys.
- Updated splash and install wizard images.





#### **Known Issues**

Known issues are non-critical bugs that are currently being developed, but were not able to be included in this release. All known issues will be resolved in the next minor release.

- When selecting multiple components, the first selected component cannot be deselected from the group.
- The line of regression on Hexbin plots is obscured by the hex elements.
- Editing multiple thresholds at a single time can cause an error.
- Changing the Y-axis label in the GT Curve component does not update the legend label.
- The Load Summary does not provide detail for each encountered loading error.
- The Cut-Off Value table in the Grade Tonnage Curve component for block models does not create a scrollable element. Workaround: The list of cutoffs can be created in an excel spreadsheet and pasted into the Cut-Off Values table.







Datamine enables efficient and sustainable mining through the application of world-leading technology and services.

# **Read the Docs**

docs.dataminesoftware.com

# **Get in Touch**

www.dataminesoftware.com/contact www.dataminesoftware.com/support

